	1	
	Application No.	Applicant(s)
Al. C F. All b. W.C	09/868,950	GOLDAU ET AL.
Notice of Allowability	Examiner	Art Unit
	Leslie R. Deak	3761
The MAILING DATE of this communication appears All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this applied or other appropriate communication IGHTS. This application is subject to	olication. If not included will be mailed in due course. THIS
1. $\boxtimes$ This communication is responsive to <u>amendment filed 23.</u>	January 2006.	
2. The allowed claim(s) is/are <u>1-3,5-14,17-22,24-26 and 29-3</u>	<u>11</u> .	
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some c) None of the:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.  5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.  (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. Interview Summary Paper No./Mail Da 08), 7. Examiner's Amendr	

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it.MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Thomas Hughes on 27 March 2006.

The application has been amended as follows:

CLAIM 12

In line 8, after "a device," please delete "for altering" and replace with --configured to alter--.

In line 11, after "a measuring device," please delete "for determining" and replace with --configured to determine--.

In line 14, please delete the entire text of line 14 and replace with --wherein the apparatus comprises an arithmetic and evaluation configured in such a way that the--.

CLAIM 13

In line 8, after "a device," please delete "for altering" and replace with --configured to alter--.

In line 11, after "a measuring device," please delete "for determining" and replace with --configured to determine--.

In line 14, please delete the entire text of line 14 and replace with --wherein the apparatus comprises an arithmetic and evaluation configured in such a way that the--.

Application/Control Number: 09/868,950 Page 3

Art Unit: 3761

## Allowable Subject Matter

2. Upon entry of the above amendment, claims 1-3, 5-14, 17-22, 24-26, and 29-31 are allowed.

3. The following is an examiner's statement of reasons for allowance: The prior art fails to disclose or suggest the device and apparatus claimed by applicant. In particular, the prior art fails to disclose a system and method for determining the distribution volume of a blood component in the body of a patient during extracorporeal blood treatment comprising the steps of: changing a concentration of the blood component in the dialyzing fluid upstream of the dialyzer, measuring the change in the concentration of the blood component in the dialyzing fluid downstream of the dialyzer, and determining the distribution volume as a result of the measured values, along with the other steps and limitations of the claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leslie R. Deak whose telephone number is 571-272-4943. The examiner can normally be reached on M-F 7:30-5:00, every other Friday off.

Art Unit: 3761

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tanya Zalukaeva can be reached on 571-272-1115. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Patent Examiner Art Unit 3761 27 March 2006